




# ECO GBS 92

## Product information



### ■ SYSTEM TECHNOLOGY FOR THE DOOR





## Product characteristics

|                                                       |                                                                                                   |                                                                                                    |
|-------------------------------------------------------|---------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|
| Lock type                                             | PZ-72                                                                                             | ■                                                                                                  |
|                                                       | RZ-74                                                                                             | ■                                                                                                  |
| Backset                                               | 55, 65, 80                                                                                        | ■                                                                                                  |
| Panic funktion                                        | B B - inward                                                                                      | ■                                                                                                  |
|                                                       | C C - inward                                                                                      | ■                                                                                                  |
|                                                       | D D - inward                                                                                      | ■                                                                                                  |
|                                                       | E -                                                                                               | ■                                                                                                  |
| Face plate                                            | Stainless steel                                                                                   | ■                                                                                                  |
| Face plate width                                      | 20, 24                                                                                            | ■                                                                                                  |
| Hub                                                   | 9 mm                                                                                              | ■                                                                                                  |
| Suitable for the use on fire- and smoke control doors | <b>F</b>                                                                                          | ■                                                                                                  |
| Tested acc. EN / DIN                                  | <b>EN 179</b>  | <b>EN 1125</b>  |
|                                                       | <b>DIN 18 250</b>                                                                                 | <b>EN 12 209</b>                                                                                   |

☒ Yes      -    No      ☐ On request



Steel door




Wooden door

### Description

- Panic mortise lock
- Tested and certified acc. to **EN 179, EN 1125, DIN 18 250** and **EN 12 209**
- For single-leaf wooden and steeldoors as well as fire-protection doors
- Face plate square on request

On request individual plate stamping possible at extra charge.



**GBS 92 ■ Panic mortise lock for fire-proof doors**

| Face plate Finish | Backset in mm | Face Plate Form | Face plate 20 x 235 mm<br>Function B single-leaf / PZ-72 |                 | Face plate 20 x 235 mm<br>Function C single-leaf / PZ-72 |                 |
|-------------------|---------------|-----------------|----------------------------------------------------------|-----------------|----------------------------------------------------------|-----------------|
|                   |               |                 | DIN left                                                 | DIN right       | DIN left                                                 | DIN right       |
| Stainless Steel   | 55            | round           | 2092_ha02h33100                                          | 2092_ha02h33200 | 2092_ha02h32100                                          | 2092_ha02h32200 |
|                   | 65            | round           | 2092_ja02h33100                                          | 2092_ja02h33200 | 2092_ja02h32100                                          | 2092_ja02h32200 |
|                   | 80            | round           | 2092_ma02h33100                                          | 2092_ma02h33200 | 2092_ma02h32100                                          | 2092_ma02h32200 |

| Face plate Finish | Backset in mm | Face Plate Form | Face plate 20 x 235 mm<br>Function D single-leaf / PZ-72 |                 | Face plate 20 x 235 mm<br>Function E single-leaf / PZ-72 |                 |
|-------------------|---------------|-----------------|----------------------------------------------------------|-----------------|----------------------------------------------------------|-----------------|
|                   |               |                 | DIN left                                                 | DIN right       | DIN left                                                 | DIN right       |
| Stainless Steel   | 55            | round           | 2092_ha02h35100                                          | 2092_ha02h35200 | 2092_ha02h34100                                          | 2092_ha02h34200 |
|                   | 65            | round           | 2092_ja02h35100                                          | 2092_ja02h35200 | 2092_ja02h34100                                          | 2092_ja02h34200 |
|                   | 80            | round           | 2092_ma02h35100                                          | 2092_ma02h35200 | 2092_ma02h34100                                          | 2092_ma02h34200 |

| Face plate Finish | Backset in mm | Face Plate Form | Face plate 24 x 235 mm<br>Function B single-leaf / PZ-72 |                 | Face plate 24 x 235 mm<br>Function C single-leaf / PZ-72 |                 |
|-------------------|---------------|-----------------|----------------------------------------------------------|-----------------|----------------------------------------------------------|-----------------|
|                   |               |                 | DIN left                                                 | DIN right       | DIN left                                                 | DIN right       |
| Stainless Steel   | 55            | round           | 2092_ha02m33100                                          | 2092_ha02m33200 | 2092_ha02m32100                                          | 2092_ha02m32200 |
|                   | 65            | round           | 2092_ja02m33100                                          | 2092_ja02m33200 | 2092_ja02m32100                                          | 2092_ja02m32200 |
|                   | 80            | round           | 2092_ma02m33100                                          | 2092_ma02m33200 | 2092_ma02m32100                                          | 2092_ja02m32200 |

| Face plate Finish | Backset in mm | Face Plate Form | Face plate 24 x 235 mm<br>Function D single-leaf / PZ-72 |                 | Face plate 24 x 235 mm<br>Function E single-leaf / PZ-72 |                 |
|-------------------|---------------|-----------------|----------------------------------------------------------|-----------------|----------------------------------------------------------|-----------------|
|                   |               |                 | DIN left                                                 | DIN right       | DIN left                                                 | DIN right       |
| Stainless Steel   | 55            | round           | 2092_ha02m35100                                          | 2092_ha02m35200 | 2092_ha02m34100                                          | 2092_ha02m34200 |
|                   | 65            | round           | 2092_ja02m35100                                          | 2092_ja02m35200 | 2092_ja02m34100                                          | 2092_ja02m34200 |
|                   | 80            | round           | 2092_ma02m35100                                          | 2092_ma02m35200 | 2092_ma02m34100                                          | 2092_ma02m34200 |

| Face plate Finish | Backset in mm | Face Plate Form | Face plate 20 x 235 mm<br>Function B inward single-leaf / PZ-72 |                 | Face plate 24 x 235 mm<br>Function B inward single-leaf / PZ-72 |                 |
|-------------------|---------------|-----------------|-----------------------------------------------------------------|-----------------|-----------------------------------------------------------------|-----------------|
|                   |               |                 | DIN left                                                        | DIN right       | DIN left                                                        | DIN right       |
| Stainless steel   | 65            | round           | 2092_ja02h37100                                                 | 2092_ja02h37200 | 2092_ja02m37100                                                 | 2092_ja02m37200 |

| Face plate Finish | Backset in mm | Face Plate Form | Face plate 20 x 235 mm<br>Function C inward single-leaf / PZ-72 |                 | Face plate 24 x 235 mm<br>Function C inward single-leaf / PZ-72 |                 |
|-------------------|---------------|-----------------|-----------------------------------------------------------------|-----------------|-----------------------------------------------------------------|-----------------|
|                   |               |                 | DIN left                                                        | DIN right       | DIN left                                                        | DIN right       |
| Stainless steel   | 65            | round           | 2092_ja02h38100                                                 | 2092_ja02h38200 | 2092_ja02m38100                                                 | 2092_ja02m38200 |

| Face plate Finish | Backset in mm | Face Plate Form | Face plate 20 x 235 mm<br>Function D inward single-leaf / PZ-72 |                 | Face plate 24 x 235 mm<br>Function D inward single-leaf / PZ-72 |                 |
|-------------------|---------------|-----------------|-----------------------------------------------------------------|-----------------|-----------------------------------------------------------------|-----------------|
|                   |               |                 | DIN left                                                        | DIN right       | DIN left                                                        | DIN right       |
| Stainless steel   | 65            | round           | 2092_ja02h39100                                                 | 2092_ja02h39200 | 2092_ja02m39100                                                 | 2092_ja02m39200 |

| Face plate Finish | Backset in mm | Face Plate Form | Face plate 20 x 235 mm<br>Function B / CH-RZ |                 | Face plate 24 x 235 mm<br>Function B / CH-RZ |                 |
|-------------------|---------------|-----------------|----------------------------------------------|-----------------|----------------------------------------------|-----------------|
|                   |               |                 | DIN left                                     | DIN right       | DIN left                                     | DIN right       |
| Stainless steel   | 65            | round           | 2092_jd02h33100                              | 2092_jd02h33200 | 2092_jd02m33100                              | 2092_jd02m33200 |

ECO Schulte GmbH & Co. KG  
Iserlohner Landstraße 89  
D-58706 Menden

Telefon: +49 2373/92 76 - 0  
Fax: +49 2373/92 76 - 40

[info@eco-schulte.de](mailto:info@eco-schulte.de)  
[www.eco-schulte.de](http://www.eco-schulte.de)

© ECO Schulte GmbH & Co. KG - Änderungen vorbehalten  
© ECO Schulte GmbH & Co. KG - Subject to change