



<b>Manufacturer:</b> BAS STEEL PROFILE SRL str Voccalinaia 28, Taraclia, Moldova Phone:+373 78 436 481		<b>MILL'S TEST CERTIFICATE</b> (ACC.TO EN10204 / 3.1)		<b>A02</b> Transport: ZG05L7/HS/L7Z		<b>BAS STEEL</b> profile	
<b>Customer:</b> P.W. CENTROSTAL-WROCLAW SA		<b>No.</b> 2003 Date: 13.03.2024		<b>A03</b>		<b>A10</b>	
<b>Contract No.</b> 004-PL 04/24		<b>A06</b> Welded cold sized tubes STEEL Grade S235JRH, Direct welded		<b>B03-B06</b>		<b>B12</b> Total weight, kg 23292	
<b>Specification №</b> 0005 PL 04/24		<b>A07</b> Package wrapped with 6 straps through the side 100% NDT on the weld seam. NDT on the weld seam acc. EN ISO 10893-2:2011		<b>B08</b> Total Length, m 4 020.00 (meters)		<b>B08</b> Pieces: Bundles: 510 14	
<b>Order No.</b> 0006 PL 04/24		<b>Destination</b> Poland		<b>Product description</b> Plain ends, straight cut from mill		<b>CE</b> 2174 	

Nr.		B01-B02		B09		B10		B11		B08		B12		B13	
Nt.		B07		Product		Dimension(mm)		Thickness(mm)		Length(mm)		Deviation		Bundles	
crt.		Nr. Bundles		Heat		Dimension(mm)		Thickness(mm)		Length(mm)		Deviation		Bundles	
1		0200\152		523556		S235JRH-EN 10219-1/2		100x100		12 000		+50/-0		1	
2		0201\152		523556		S235JRH-EN 10219-1/2		100x100		12 000		+50/-0		1	
3		0202\152		523556		S235JRH-EN 10219-1/2		100x100		12 000		+50/-0		1	
4		0203\152		523556		S235JRH-EN 10219-1/2		100x100		12 000		+50/-0		1	
5		0204\152		523556		S235JRH-EN 10219-1/2		100x100		12 000		+50/-0		1	
6		0205\152		523556		S235JRH-EN 10219-1/2		100x100		12 000		+50/-0		1	
7		0206\152		523556		S235JRH-EN 10219-1/2		100x100		12 000		+50/-0		1	
8		0207\152		523556		S235JRH-EN 10219-1/2		100x100		12 000		+50/-0		1	
9		2479\76		523612-9		S235JRH-EN 10219-1/2		40x40		6 000		+50/-0		1	
10		2480\76		523612-9		S235JRH-EN 10219-1/2		40x40		6 000		+50/-0		1	
11		2477\76		523612-9		S235JRH-EN 10219-1/2		40x40		6 000		+50/-0		1	
12		2478\76		523612-9		S235JRH-EN 10219-1/2		40x40		6 000		+50/-0		1	
13		2365\76		614106		S235JRH-EN 10219-1/2		50x50		6 000		+50/-0		1	
14		2364\76		614106		S235JRH-EN 10219-1/2		50x50		6 000		+50/-0		1	

«BAS STEEL PROFILE» S.R.L.  
OTK

Manufacturer: BAS STEEL PROFILE SRL str. Vocallinaia 28, Taraclia, Moldova Phone: +373 78 436 481		A01	MILL'S TEST CERTIFICATE (ACC. TO EN10204 / 3.1)		A02	Transport: ZC0517/HS17Z		A10		<div><div>BAS</div><div>profile</div><div>STEEL</div></div>		
Customer:  P.W. CENTROSTAL-WROCLAW SA		A06	Welded cold sized tubes STEEL Grade S235JRH, Direct welded		B03-B06	Total weight, Kg 23292		Total Length, m 4 020,00 (meters)		Pieces: 510 Bundles: 14		
Contract No. Specification № Order No. Destination		A07	Package wrapped with 6 straps through the side 100% NDT on the weld seam. NDT on the weld seam acc. EN ISO 10883-2:2011		EN 10219-1/2 S235JRH		CE		2174		<div><div>QUALITY ASSURANCE MANAGEMENT</div><div>ISO 9001</div><div></div></div>	
Poland		Plain ends, straight cut from mill										

Chemical Composition										C71-C92																	
B09		B10		B07		C		Si		Mn		S		P		Cr		Ni		Cu		As		N		Al	
Dimension(mm)	W.T.(mm)	Grade	Steel	Nr. Bundles	Heat	x100	x100	x100	x100	x1000	x1000	x100	x100	x100	x100	x100	x100	x100	x100	x100	x100	x100	x1000	x1000	x1000	x1000	
100x100		3 S235JRH		0200\152	523556	13,0	1,4	37,0	35,0	14,0	4,0	4,0	1,0	1,0													
100x100		3 S235JRH		0201\152	523556	13,0	1,4	37,0	35,0	14,0	4,0	4,0	1,0	1,0													
100x100		3 S235JRH		0202\152	523556	13,0	1,4	37,0	35,0	14,0	4,0	4,0	1,0	1,0													
100x100		3 S235JRH		0203\152	523556	13,0	1,4	37,0	35,0	14,0	4,0	4,0	1,0	1,0													
100x100		3 S235JRH		0204\152	523556	13,0	1,4	37,0	35,0	14,0	4,0	4,0	1,0	1,0													
100x100		3 S235JRH		0205\152	523556	13,0	1,4	37,0	35,0	14,0	4,0	4,0	1,0	1,0													
100x100		3 S235JRH		0206\152	523556	13,0	1,4	37,0	35,0	14,0	4,0	4,0	1,0	1,0													
100x100		3 S235JRH		0207\152	523556	13,0	1,4	37,0	35,0	14,0	4,0	4,0	1,0	1,0													
40x40		3 S235JRH		2479\76	523612-9	14,0	2,0	42,0	28,0	35,0	5,0	5,0	1,0	1,0													
40x40		3 S235JRH		2480\76	523612-9	14,0	2,0	42,0	28,0	35,0	5,0	5,0	1,0	1,0													
40x40		3 S235JRH		2477\76	523612-9	14,0	2,0	42,0	28,0	35,0	5,0	5,0	1,0	1,0													
40x40		3 S235JRH		2478\76	523612-9	14,0	2,0	42,0	28,0	35,0	5,0	5,0	1,0	1,0													
50x50		3 S235JRH		2365\76	614106	12,0	1,9	42,0	24,0	27,0	6,0	6,0	1,0	1,0													
50x50		3 S235JRH		2364\76	614106	12,0	1,9	42,0	24,0	27,0	6,0	6,0	1,0	1,0													

«BAS STEEL PROFILE» S.R.L.

OTK

A01		MILL'S TEST CERTIFICATE (ACC.TO EN10204 / 3.1)		A02		A10	
Manufacturer: BAS STEEL PROFILE SRL str. Voccalinaia 28, Taraclia, Moldova Phone:+373 78 436 481		No. 2003 Date: 13.03.2024		Transport: ZGOS17/H517TZ		BAS STEEL profile	
Customer: P.W. CENTROSTAL-WROCLAW SA		Welded cold sized tubes STEEL Grade S235JRH, Direct welded		B03-B06		B12	
Contract No. 004-PL 04/24		Package wrapped with 6 straps through the side 100% NDT on the weld seam. NDT on the weld seam acc. EN ISO 10893-2:2011		Total weight, Kg 23292		Total length, m 4 020,00 (meters)	
Specification Ne 0005 PL 04/24		0006 PL 04/24		EN 10219-1/2 S235JRH		B08 Pieces: 510	
Order No.				CE		Bundles: 14	
Destination Poland		Plain ends, straight cut from mill		2174		ISO 9001 QUALITY ASSURANCE MANAGEMENT	

Dimension(mm)	B10 W.T.(mm)	Steel Grade	B07 N. Bundles	Heat	Mechanical Test		C11 ReH Mpa	C12 Rm Mpa	C13 A %	D02 Ra µm	D03 Hydraulic sure, bar,min.
					Direction of the test pieces	Test temperature					
100x100		3 S235JRH	0200\152	523556	L	ambient	270	387	33		
100x100		3 S235JRH	0201\152	523556	L	ambient	270	387	33		
100x100		3 S235JRH	0202\152	523556	L	ambient	270	387	33		
100x100		3 S235JRH	0203\152	523556	L	ambient	270	387	33		
100x100		3 S235JRH	0204\152	523556	L	ambient	270	387	33		
100x100		3 S235JRH	0205\152	523556	L	ambient	270	387	33		
100x100		3 S235JRH	0206\152	523556	L	ambient	270	387	33		
100x100		3 S235JRH	0207\152	523556	L	ambient	270	387	33		
40x40		3 S235JRH	2479\76	523612-9	L	ambient	289	441	30		
40x40		3 S235JRH	2480\76	523612-9	L	ambient	289	441	30		
40x40		3 S235JRH	2477\76	523612-9	L	ambient	289	441	30		
40x40		3 S235JRH	2478\76	523612-9	L	ambient	289	441	30		
50x50		3 S235JRH	2365\76	614106	L	ambient	299	397	30		
50x50		3 S235JRH	2364\76	614106	L	ambient	299	397	30		

We state on our sole responsibility that the delivered products are in conformity with production standards or with contract Addendums.  
Visual inspection: checked without any objection  
Tolerances on dimensions and shape: pass

Drawered up,  
Eng. Filipov Nicolai

Signature of the QCD representative,  
Eng. Nefti Yurli

«BAS STEEL PROFILE» S.R.L.

OTK